

Bibliographie

- [1] ADAMS R.A., *Sobolev Spaces*. Academic Press (1975).
- [2] ADAMS D.R., HEDBERG L.I., *Function spaces and potential theory*, Grundlehren der matematischen wissenschaften, **314**, Springer-Verlag, Berlin, 1996.
- [3] ANDREU F., MAZON J.M., SEGURA DE LEON S., TOLEDO J., *Existence and uniqueness for a degenerate parabolic equation with L^1 -data*, Trans. Amer. Math. Soc. **351** (1999), no. 1, 285–306.
- [4] BENILAN P., BOCCARDO L., GALLOUËT T., GARIEPY R., PIERRE M., VAZQUEZ J. L., *An L^1 -Theory of Existence and Uniqueness of Solutions of Nonlinear Elliptic Equations*, Ann. Scuola Norm. Sup. Pisa Sci. Fis. Mat., IV, **22**, 2, 1995.
- [5] BLANCHARD D., MURAT F., *Renormalized solutions of nonlinear parabolic problems with L^1 data: existence and uniqueness*, Proc. of the Royal Soc. of Edinburgh Section A **127** (1997), p. 1137–1152.
- [6] BOCCARDO L., *Problemi differenziali ellittici e parabolici con dati misure*, Bollettino UMI, 1997, pp 439-461.
- [7] BOCCARDO L., *personal communication*.
- [8] BOCCARDO L., *Some Nonlinear Dirichlet Problems in L^1 Involving Lower Order Term In Divergence Form*, Progress in elliptic and parabolic partial differential equations (Capri, 1994), 43–57, Pitman Res. Notes Math. Ser., **350**, Longman, Harlow, 1996.
- [9] BOCCARDO L., DALL'AGLIO A., GALLOUËT T., ORSINA L., *Nonlinear parabolic equations with measure data*, Journ. of Functional Anal. **147** (1997), pp. 237–258.
- [10] BOCCARDO L., GALLOUËT T., *Nonlinear elliptic and parabolic equations involving measure data*. J. Funct. Anal. **87** (1989), 241-273.
- [11] BOCCARDO L., GALLOUËT T., MURAT F., *Unicité de la solution de certaines équations elliptiques non linéaires*, C.R. Acad. Sci. Paris, **315**, 1992, pp 1159-1164.
- [12] BOCCARDO L., GALLOUËT T., ORSINA L., *Existence and uniqueness of entropy solutions for nonlinear elliptic equations with measure data*, Ann. Inst. H. Poincaré Anal. Non Linéaire, **13** (1996), 539–551.
- [13] BOCCARDO L., MURAT F., PUEL J.P., *Existence of bounded solutions for nonlinear elliptic unilateral problems*, Ann. Mat. Pura Appl. **152** (1988), 183-196.
- [14] BREZZI F., FORTIN M., *Mixed and Hybrid Finite Element Methods*, Springer-Verlag New York (1991).
- [15] CHAINAIS-HILLAIRET C., *Finite volume schemes for a nonlinear hyperbolic equation. Convergence towards the entropy solution and error estimate*. M²AN, **33** (1999), 1, 129-156.

- [16] CHAMPIER S., GALLOUET T., HERBIN R., *Convergence of an upstream finite volume scheme for a nonlinear hyperbolic equation on a triangular mesh.* Numer. Math. **66** (1993), 2, 139-157.
- [17] CHAVENT G., ROBERTS J.E., *A unified physical presentation of mixed, mixed-hybrid finite elements and standard finite difference approximations for the determination of velocities in waterflow problems,* Adv. Water Resources, Vol. **14**, No. **6**, (1991), 329-348.
- [18] CHAZARAIN J., PIRIOU A., *Introduction à la théorie des équations aux dérivées partielles linéaires,* Gauthier-Villars, 1981.
- [19] CLARKE F., *Optimisation and Nonsmooth Analysis,* Université de Montréal (1989).
- [20] DAL MASO G., *On the integral representation of certain local functionals,* Ricerche Mat., **22** (1983), 85–113.
- [21] DAL MASO G., MURAT F., ORSINA L., PRIGNET A., *Renormalized solutions for elliptic equations with general measure data, in preparation, and Definition and existence of renormalized solutions of elliptic equations with general measure data,* Ann. Scuola Norm. Sup. Pisa Cl. Sci., **28** (1999), no. 4, 741–808.
- [22] DALL'AGLIO A., *Approximated solutions of equations with L^1 data. Application to the H -convergence of quasi-linear parabolic equations,* Ann. Mat. Pura Appl. (4) **170** (1996), 207–240.
- [23] DALL'AGLIO A., ORSINA L., *Nonlinear parabolic equations with natural growth conditions and L^1 data,* Nonlinear Anal. T.M.A., **27**, n.1, (1996), p. 59–73.
- [24] DAUTRAY R., LIONS J.L., Mathematical analysis and numerical methods for science and technology, Vol. **5**, Springer- Verlag (1992).
- [25] DE GIORGI, *Sulla differenziabilità e l'analicità delle estremali degli integrali multipli regolari,* Mem. Accad. Sc. Torino Cl. Sci. Fis. Mat. (3), **3** (1957), 25-43.
- [26] DEIMLING K., *Nonlinear functional analysis.* Springer (1985).
- [27] DiBENEDETTO E., Degenerate parabolic equations, Springer- Verlag, New-York (1993).
- [28] DiPERNA R., *Measure-valued solutions to conservation laws.* Arch. Rat. Mech. Anal., **88** (1985), 223-270.
- [29] DRONIU J., *Solving convection-diffusion equations with mixed, Neumann and Fourier boundary conditions and measures as data, by a duality method,* Adv. Differential Equations, Volume **5** (10-12), October-December 2000, pp. 1341-1396.
- [30] DRONIU J., GALLOUËT T., *A uniqueness result for quasilinear elliptic equations with measures as data,* accepted for publication in Rendiconti di Matematica.
- [31] DRONIU J., Quelques résultats sur les espaces de Sobolev, <http://www-gm3.univ-mrs/polys/>
- [32] DRONIU J., Intégration et Espaces de Sobolev à valeurs vectorielles, available at <http://www-gm3.univ-mrs.fr/polys>
- [33] EVANS L.C., *Partial Differential Equations,* Graduate Studies in Mathematics, vol **19**. AMS, 1998.
- [34] EYMARD R., GALLOUËT T., *Convergence d'un schéma de type éléments finis-volumes finis pour un système formé d'une équation elliptique et d'une équation hyperbolique,* M²AN Vol. **27**, No. **7** (1993), 843-861.

- [35] EYMARD R., GALLOUËT T., GHILANI M., HERBIN R., *Error estimates for the approximate solution of a nonlinear hyperbolic equation given by some finite volume schemes*, IMA Journal of Numerical Analysis, Vol. **18**, (1998), 563-594.
- [36] EYMARD R., GALLOUËT T., HERBIN R., *Existence and Uniqueness of the Entropy Solution to a Nonlinear Hyperbolic Equation.*, Chi.Ann.of Math, **16** Ser B 1(1995), 1-14.
- [37] EYMARD R., GALLOUËT T., HERBIN R., *Finite Volume Methods*, Handbook of Numerical Analysis, Vol. VII, pp. 713-1020. Edited by P.G. Ciarlet and J.L. Lions (North Holland).
- [38] FABRIE P., GALLOUËT T., *Modelling wells in porous media flows*, Mathematical Models and Methods in Applied Sciences, Vol. **10**, No. 5 (2000) 673-709.
- [39] FUKUSHIMA M., SATO K., TANIGUCHI S., *On the closable part of pre-Dirichlet forms and the fine supports of underlying measures*, Osaka J. Math., **28** (1991), 517–535.
- [40] GALLOUËT T., *private communication.*
- [41] GALLOUËT T., HERBIN R., VIGNAL M-H., *Error estimates for the approximate finite volume solution of convection diffusion equations with general boundary conditions*, SIAM J. Numer. Anal., **37**, 6, 1935 - 1972, 2000.
- [42] GRISVARD P., Elliptic Problems in Nonsmooth Domains, Pitman 1985.
- [43] GUIBE O., BEN CHEIKH M., *Résultats d'existence et d'unicité pour une classe de problèmes non linéaires et non coercitifs*, C. R. Acad. Sci. Paris Sér. I Math., **329**, 1999, 11, pp 967-972.
- [44] HEINONEN J., KILPELÄINEN K., MARTIO O., Nonlinear potential theory of degenerate elliptic equations, Oxford University Press (1993).
- [45] HERBIN R., MARCHAND E., *Finite Volume approximation of a class of variational inequalities*, accepted for publication in IMAJNA.
- [46] HÖRMANDER L., *The Analysis of Linear Partial Differential Operators II*, Springer-Verlag, 1983.
- [47] JAFFRÉ J., ROBERTS J.E., *Upstream weighting and mixed finite elements in the simulation of miscible displacements*, M²AN, Vol **19**, No. 3, (1985), 443–460.
- [48] KREISS H-O., LORENZ J., *Initial-boundary value problems and the Navier-Stockes equations*, Academic Press, 1989.
- [49] KRUSHKOV S.N., *First Order quasilinear equations with several space variables*. Math. USSR. Sb., **10** (1970), 217-243.
- [50] LANDES R., *On the existence of weak solutions for quasilinear parabolic boundary value problems*, Proc. Royal Soc. Edinburgh Sect. A, **89** (1981), 217-237.
- [51] LIONS J.-L., Quelques méthodes de résolution des problèmes aux limites non linéaire, Dunod et Gauthier-Villars, 1969.
- [52] LEONE C., PORRETTA A., *Entropy solutions for nonlinear elliptic equations in L^1* , Nonlinear Anal. T.M.A., **32** (1998), 325–334.
- [53] LERAY J., LIONS J.L., *Quelques résultats de Višik sur les problèmes elliptiques semi-linéaires par les méthodes de Minty et Browder*, Bull. Soc. Math. France, **93**, 1965, pp 97-107.
- [54] LUCIER B.J., *A moving mesh numerical method for hyperbolic conservations laws*, Math. Comp. **46**, (1986), pp. 191-205.

- [55] MAINGUY M., *Thèse*, ENPC, 1999.
- [56] MIRANDA C., *Equazioni alle derivate parziali di tipo ellittico*, Springer-Verlag, 1955.
- [57] MURAT F., *Equations elliptiques non linéaires avec second membre L^1 ou mesure*, CANUM 94.
- [58] NEČAS J., *Les méthodes directes en théorie des équations elliptiques*, Masson 1967.
- [59] NÉDÉLEC J.C., *Mixed finite elements in \mathbb{R}^3* , Numer. Math. Vol. **35**, (1980), 315-341.
- [60] OHLBERGER M., *Convergence of a mixed finite element-finite volume method for the two phase flow in porous media*, East-West J. Numer. Math., Vol. **5**, No. 3 (1997), 183-210.
- [61] OTTO F., *Initial-boundary value problem for a scalar conservation law*, C. R. Acad. Sci. Paris I Math. **322** (1996), no 8, 181-193.
- [62] PIERRE M., *Parabolic capacity and Sobolev spaces*, Siam J. Math. Anal., **14** (1983), 522–533.
- [63] PORRETTA A., *Existence results for nonlinear parabolic equations via strong convergence of truncations*, Ann. Mat. Pura ed Appl. (IV), **177** (1999), 143–172.
- [64] PRIGNET A., *Existence and uniqueness of “entropy” solutions of parabolic problems with L^1 data*, Nonlin. Anal. TMA **28** (1997), 1943–1954.
- [65] PRIGNET A., *Remarks on existence and uniqueness of solutions of elliptic problems with right-hand side measures*. Rend. Mat. Appl. (7) **15** (1995), no. 3, pp. 321-337.
- [66] PRIGNET A., *Conditions aux limites non homogènes pour des problèmes elliptiques avec second membre mesure*, Ann. Fac. Sciences de Toulouse **6** (1997), pp 297-318.
- [67] SERRE D., *Systèmes de Lois de Conservation I*. Diderot Ed., 1996.
- [68] SERRIN J., *Pathological solutions of elliptic differential equations*. Ann. Scuola Norm. Pisa, (1964), 385-387.
- [69] SIMON J., *Compact sets in $L^p(0, T; B)$* , Ann. Mat. Pura Appl. **146** (4) (1987), pp. 65–96.
- [70] STAMPACCHIA G., *Le problème de Dirichlet pour les équations elliptiques du second ordre à coefficients discontinus*. Ann. Inst. Fourier, Grenoble, **15** (1965), 189-258.
- [71] TEMAM R., Navier-Stokes Equations, North-Holland 1979.
- [72] THOMAS J.M., PhD. Thesis, Université Paris VI 1977.
- [73] VIGNAL M.H., *Convergence of a finite volume scheme for an elliptic-hyperbolic system*, M²AN, Vol. **30**, No. **7**, (1996), 841-872.
- [74] VOELLE J., *Convergence of Finite Volume Monotone Schemes for Scalar Conservation Laws on Bounded Domains*, accepted for publication in Numerische Mathematik.