

**The crystals associated to Barsotti-Tate groups :
with applications to abelian schemes**

Detailed contents

Introduction	1
Conventions	10
Chapter I. Definitions and examples	11
I.1. Truncated Barsotti-Tate groups	11
1.1. Flatness of fppf sheaves over $\mathbb{Z}/p^n\mathbb{Z}$	11
1.2. Definition of truncated BT groups of level $n \geq 2$	12
1.3. Definition of truncated BT groups of level $n = 1$	12
1.4. Notation $G(n) = \ker(p^n : G \rightarrow G)$	12
1.5. Flatness of $G(n)$ vs flatness of $G(1)$. Characterization of epimorphy of p^i	13
I.2. Barsotti-Tate groups	13
2.1. Definition of BT groups	14
2.2. Notation $\mathrm{BT}(S)$ = category of BT groups over S	14
2.3. Remarks ; height of a Barsotti-Tate group ; equivalence with the definition of Tate	14
2.4. Sorites : $\mathrm{BT}(S)$ is an fpqc stack with quotients, extensions, <i>not</i> kernels. Serre duals	15
I.3. Examples	17
3.1. Finite flat group schemes of multiplicative type	17
3.2. Infinitesimal BT groups	18
3.3. Definition of abelian schemes	19
3.4. BT groups of abelian schemes	19
3.5. BT groups of tori	20
3.6. Formal Lie groups with $p : G \rightarrow G$ an isogeny (p loc. nilpotent on the base)	20
3.7. Ind-étale BT groups	20
3.8. Toroidal BT groups	21
3.9. The connected-étale sequence over an Artin local ring	22
Chapter II. The relation between Barsotti-Tate and formal Lie groups	23
II.1. Formal Lie varieties and groups	23
1.0. Infinitesimal neighbourhoods $\mathrm{Inf}_Y^k(X)$ of a sheaf along a subsheaf	23
1.0.1. Definition of $\mathrm{Inf}_Y^k(X)$	23
1.0.2. Compatibility with the definition for schemes	23
1.0.3. Compatibility with base change	24
1.1. Ind-infinitesimal pointed sheaves, formal Lie varieties, formal Lie groups	24
1.1.1. Definition of an ind-infinitesimal pointed sheaf	25
1.1.2-1.1.3. Infinitesimal neighbourhoods $\mathrm{Inf}^k(X)$ and conormal sheaf ω_X	25
1.1.4. Definition of a formal Lie variety. Sheaf ω_G of a formal Lie variety	25
1.1.5. Definition of a formal Lie group	26
1.1.6. If G is a sheaf of groups then $\overline{G} := \varinjlim \mathrm{Inf}^k(G)$ also	26

II.2. Formal Lie group of a BT (base of characteristic p)	27
2.1. Properties of Frobenius and application to the construction of $\overline{G}$	27
2.1.1. Notation $G[n] = \ker(f_G^n : G \rightarrow G^{(p^n)})$	28
2.1.2-2.1.4. For G finite loc. free : equivalence of flatness and epimorphy of Frobenius	28
2.1.5. Further equivalence in terms of the structure of ω_G and $\mathcal{O}_G$	30
2.1.6. Definition of f -torsion and f -divisible sheaves	31
2.1.7. A sheaf is a formal Lie group iff f -torsion, f -divisible, with finite loc. free $G[n]$'s	31
2.1.8. If G is a BT then $\overline{G}$ is a formal Lie group equal to $\varinjlim G[n]$ ($p = 0$ in S)	33
II.3. Formal Lie group of a BT (base where p is locally nilpotent)	34
3.1. Infinitesimal lifting criterion for smoothness along a section	35
3.2. Relative cotangent complex	38
3.2.1-3.2.3. Cartier dual of a finite locally free group scheme	38
3.2.4. Definition of the scheme $U(G)^\times$ of invertible elements of the hyperalgebra	39
3.2.5-3.2.6. The regular closed immersion $G \hookrightarrow U(G)^\times$	39
3.2.7-3.2.8. Definition of the relative cotangent complex $L_\bullet^{G/S}$ via $U(G)^\times$	40
3.2.9. Isomorphism $\pi^* e_G^* L_\bullet^{G/S} \simeq L_\bullet^{G/S}$	40
3.2.10. General lemma on descent data on torsors	40
3.2.11. Compatibility of $L_\bullet^{G/S}$ with base change	42
3.2.12. Functoriality of $L_\bullet^{G/S}$	42
3.2.13. Definition of the co-Lie complex $\ell_\bullet^G = e_G^* L_\bullet^{G/S}$	43
3.3. Formal Lie group of a BT (p locally nilpotent)	43
3.3.1-3.3.2. Criterion of formal smoothness for a colimit of finite loc. free groups	43
3.3.3. Definition of $\omega_G = H_0(\ell_\bullet^G)$ and $\underline{n}_G = H_1(\ell_\bullet^G)$	46
3.3.4. Exact triangle of co-Lie complexes of an exact sequence of finite loc. free groups	46
3.3.5. For G finite loc. free : ω_G loc. free $\Rightarrow \underline{n}_G$ also, of the same rank	49
3.3.7-3.3.10. Elaboration on the criteria of 3.3.1	49
3.3.11-3.3.12. Some facts on Frobenius and Verschiebung of BT_n 's in char. p	52
3.3.13. Formal smoothness of BT groups	54
3.3.14. Counterexample when p is not locally nilpotent	55
3.3.15-3.3.17. Preparations for 3.3.18	56
3.3.18. If G is a BT then $\overline{G}$ is a formal Lie group	58
3.3.19-3.3.20. Definition of ω_G for a BT	58
II.4. Relations between formal Lie groups and BT groups (p locally nilpotent)	59
4.1-4.7. Conditions for a BT to be a formal Lie group and conversely	59
4.1-4.2. A formal Lie group is p -torsion	59
4.3-4.6. Formal Lie groups over an Artin local ring	60, 62
4.4. Equivalent conditions for a BT to be a formal Lie group	61
4.5. Equivalence $\{\text{BT groups}; G(1) \text{ radical}\} \leftrightarrow \{\text{formal Lie groups}; G \xrightarrow{p} G \text{ isogeny}\}$	62
4.6. The case of an Artin base	62
4.7. A BT group is ind-étale iff $\overline{G} = 0$	62
4.8-4.11. Conditions for the formal Lie group of a BT to be a BT again	63
4.8. Local constancy of the separable rank of fibres of a finite loc. free scheme map	63
4.9. For $G \in \text{BT}(S)$: equivalent conditions for $\overline{G}$ to be a BT group again	69
4.10. Exactness of short exact sequences of finite loc. free group schemes and fibres	71
4.11. Exactness of $G \mapsto \overline{G}$ for BT groups	72
4.12-4.16. Algebraization of formal Lie groups and BT groups	72
4.12. Formal Lie varieties and groups can be algebraized	72
4.14. The formal Lie group of a BT over a p -adically complete base	74
4.15-4.16. BT groups can be algebraized	75

Chapter III. Divided powers, exponentials and crystals	77
III.1. Divided powers	77
1.1-1.2. Definition of (nilpotent) divided powers	77
1.3-1.4. Divided power algebra $\Gamma(M)$ of a module. Remarks	78
1.5. Definition of morphisms of divided power rings	79
1.6. $\exp : I \longleftrightarrow (1 + I)^* : \log$ for nilpotent divided powers	79
1.7. Globalization	79
1.8. Extension of divided powers to extended ideal on a flat algebra	80
III.2. Exponentials	82
2.1. Cospec of a cocommutative coalgebra	82
2.1.1-2.1.4. Definition and examples	82
2.1.1. Products of coalgebras and $\text{Cospec}(U \otimes V) = \text{Cospec}(U) \times \text{Cospec}(V)$	82
2.1.2. $\text{Cospec}(A^\vee) = \text{Spec}(A)$ for a finite locally free algebra A	83
2.1.3. Commutation of Cospec with filtered colimits	83
2.1.3. (Cont'd) Representing BT groups and formal Lie varieties as Cospec	84
2.1.4. Coalgebra structure of $\Gamma(M)$	84
2.1.5-2.1.10. The exponential $\exp_M : \overline{M} \rightarrow \text{Cospec}(\Gamma(M))$	85
2.1.5-2.1.6. The formal group $\overline{M}$ of a quasi-coherent $\mathcal{O}_S$ -module M	84
2.1.7. Definition of $\exp_M : \overline{M} \rightarrow \text{Cospec}(\Gamma(M))$	85
2.1.7. (Cont'd) $\text{Cospec}(\Gamma(M))$ is an abelian sheaf and $\exp_M$ is additive	85
2.1.8. If M is flat then $\exp_M$ is an isomorphism	86
2.1.9. Counterexample when M is not flat	86
2.1.10. $\text{Cospec}(\Gamma(M))$ is an $\mathcal{O}_S$ -module and $\exp_M$ is a homomorphism	87
2.2. Construction of $\exp : \Gamma(S, I \cdot \text{Lie}(U)) \xrightarrow{\sim} \ker [\Gamma(S, \text{Cospec}(U)) \rightarrow \Gamma(S_0, \text{Cospec}(U))]$	87
2.2.1. Primitive elements and Lie algebra of an augmented coalgebra U	87
2.2.2. Lie algebra of Cospec of a filtered colimit of finite locally free coalgebras	87
2.2.3-2.2.5. Exponential defined by a flat bi-algebra and a PD nilideal	88
2.2.6-2.2.7. Remarks	89
2.3-2.6. Construction of $\exp : \text{Hom}(M, I \cdot \text{Lie}(G)) \hookrightarrow \ker [\text{Hom}(M, G) \rightarrow \text{Hom}(M_0, G_0)]$	90
2.3. Preparation : $\exp$ with values in $\text{Hom}(\overline{M}, G)$ (cf 2.3.5)	90
2.4. First case : groups G such that $\overline{G}$ is a formal Lie group	94
2.5. Isomorphism $\exp : \{\text{primitive elements}\} \longleftrightarrow \{\text{group-like elements}\} : \log$	95
2.6. Second case : some groups including $E(G) \times_G G(n)$ as in IV.2.6.1	98
2.7. Relation with the set of prolongations of a homomorphism along a thickening	102
2.7.1-2.7.2. Definition of linear compatibility/equivalence	103
2.7.3. Discussion : lifting sub-vectorgroup $V_0 \subset G_0$ versus lifting map $V_0 \rightarrow G_0$	103
2.7.4. Lemma that enlightens 2.7.3	104
2.7.5-2.7.6. Two liftings of the inclusion $V_0 \rightarrow G_0$ are linearly equivalent	104
2.7.7. Lifting a sub-vectorgroup with a given lift of its Lie algebra	105
III.3. Crystals (naive version)	106
3.1. Remark on the notions of crystal and crystalline site used	106
3.2. Definition of the crystalline site $\text{Crys}(X)$	106
3.3-3.4. Description of sheaves. Structure sheaf, quasi-coherent modules	107
3.5-3.7. Definition of crystals	108
3.8. Inverse image of crystals	109

Chapter IV. The crystals associated to Barsotti-Tate groups112

IV.1. The universal vector extension $0 \rightarrow \underline{V}(G) \rightarrow E(G) \rightarrow G \rightarrow 0$ (p locally nilpotent)	112
1.2. Viewing quasi-coherent modules M as fppf sheaves	112
1.3-1.6. The map $\alpha_G : G \rightarrow \underline{\omega}_{G^*}$ of finite locally free group schemes	113
1.3. Representability of $M \mapsto \text{Hom}(G, M)$ by the module $\underline{\omega}_{G^*}$	113
1.4. Notation $\alpha_G : G \rightarrow \underline{\omega}_{G^*}$ for the universal morphism	117
1.5. Description of α_G when $\underline{\omega}_{G^*}$ is locally free	117
1.6. Functoriality of $G \mapsto \alpha_G$	117
1.7-1.12. The universal vector extension	119
1.7, 1.9. Extensions of a BT by a quasi-coherent module have no automorphism	119
1.8. Definition of the universal vector extension	119
1.10, 1.14. Existence of the universal vector extension	120, 122
1.10-1.12. $E(G) = G \amalg_{G(N)} \omega_{G(N)^*}$ and $\underline{V}(G) = \underline{\omega}_{G(N)^*}$ if p^N kills S	120, 121
1.13-1.22. Properties of the universal vector extension	119
1.13. Compatibility with base change	121
1.15. Functoriality of $G \mapsto E(G)$	122
1.17. Representability of $\text{Inf}^k(E(G))$	124
1.18. $\underline{E}(G)$ is formally smooth (S affine)	124
1.19. $\underline{E}(G)$ is a formal Lie group	125
1.20. Definition $\underline{\text{Lie}}(E(G)) = \underline{\text{Lie}}(\underline{E}(G)) = \underline{\text{Lie}}(E(G) \times_G G(N))$ if p^N kills S	125
1.21. Exactness of $0 \rightarrow \underline{V}(G) \rightarrow \underline{E}(G) \rightarrow \underline{G} \rightarrow 0$	126
1.22. Exactness of $0 \rightarrow \underline{V}(G) \rightarrow \underline{\text{Lie}}(E(G)) \rightarrow \underline{\text{Lie}}(G) \rightarrow 0$	126
1.23. Adaptation to abelian schemes	127
IV.2. The crystals $\mathbb{E}(G)$, $\bar{\mathbb{E}}(G)$ and $\mathbb{D}(G)$	127
2.1. Notations of the basic setup (Note : $\text{BT}'(S_0) = \text{BT}(S_0)$ by Illusie)	128
2.2. Lifting a morphism $u_0 : G_0 \rightarrow H_0$ to $v : E(G) \rightarrow E(H)$ along a PD thickening $S_0 \hookrightarrow S$	129
2.4-2.5. Corollaries of 2.2	130
2.4.1. Functoriality of $E_S : u_0 \mapsto v$	130
2.4.2-2.4.3. E_S takes isomorphisms to isomorphisms	131
2.4.4. Compatibility of E_S with base change on S	131
2.5. Construction of the crystals $\mathbb{E}(G)$, $\bar{\mathbb{E}}(G)$, $\mathbb{D}(G)$	132
2.6. Proof of 2.2, preparations	134
2.7. Proof of 2.2, conclusion	143
2.8. Adaptation to abelian schemes	148

Chapter V. The deformation theory and applications 150

V.1. Lifting G_0 along $S_0 \hookrightarrow S$ vs lifting the admissible filtration $\text{Fil}^1 \subset \mathbb{D}(G_0)_S$	150
1.1-1.3. Notations	150
1.4. Definition of admissible filtrations $\text{Fil}^1 \subset \mathbb{D}(G_0)_S$	150
1.5. The category of pairs (G_0, Fil^1)	151
1.6. Statement of the Theorem	151
1.7. Remarks on the sheaf of prolongations of $\underline{V}(G_0) \hookrightarrow E(G_0)$. Relation with III.2.7.7	151
1.8. Proof of 1.6	152
1.9-1.10. Adaptation to abelian schemes	157
V.2. The Serre-Tate theorem on liftings of abelian schemes	158
2.1. Isomorphism between the Dieudonné crystals of an abelian scheme and its BT	159
2.2. The category of pairs $(A_0, \bar{A})$	165

2.3. Statement of the Serre-Tate theorem	166
2.3.1. Proof : reduction to the case where S is affine	166
2.3.2-2.3.5. Proof : reduction to the case when I has nilpotent divided powers	168
2.3.6. Proof when I has nilpotent divided powers	170
V.3. The canonical lifting of an ordinary abelian variety	171
3.1. Definition of an ordinary abelian variety	171
3.2. The Serre-Tate theorem for liftings to $W(k)$	171
3.3. Theorem of canonical lifting A such that $\text{End}_{W(k)}(A) \simeq \text{End}_k(A_0)$	172
3.4. $\text{Hom}(A, B) \rightarrow \text{Hom}(A_0, B_0)$ is bijective for ordinary abelian varieties A_0, B_0	174
Appendix	175
A.1. Characterizations of the canonical lifting	175
1.0. If A_0 is ordinary then $V_0 : A_0^{(p)} \rightarrow A_0$ is étale	175
1.1. A is a canonical lifting iff $V_0^i : A_0^{(p^i)} \rightarrow A_0$ lifts to A for some i	175
1.2. A is a canonical lifting iff $F : A_0 \rightarrow A_0^{(p)}$ lifts to A	177
1.3. If k is finite : A is a canonical lifting iff $\text{End}(A) \rightarrow \text{End}(A_0)$ is bijective	178
A.2. Preparations for A.3 on extensions of BT groups	178
2.1-2.3. Liftings of a trivial extension of an ind-étale BT by a toroidal BT	178
2.1. Infinitesimal liftings	178
2.2-2.3. Extension to complete noetherian local rings	179
2.4-2.7. Extensions of $\mathbb{Q}_p/\mathbb{Z}_p$ by $\varprojlim \mu_{p^n}$	180
2.4-2.6. The isomorphism $\delta : \text{Hom}(\mathbb{Z}, \varprojlim \mu) \rightarrow \text{Ext}^1(\mathbb{Q}_p/\mathbb{Z}_p, \varprojlim \mu)$	180
2.7. Extension to complete noetherian local rings	184
A.3. Explicit form of the Serre-Tate theorem for elliptic curves	185
3.0. The element $(z_0, z_1) \in \mathbb{Z}_p^2$ determined by a homomorphism $\rho_0 : E_0 \rightarrow E_1$	185
3.1. The element $q(E) \in 1 + m_R$ determined by a lifting E of E_0 to complete R	185
3.2. The map q is an isomorphism	185
3.3. A homomorphism $\rho_0 : E_0 \rightarrow E_1$ lifts to $E \rightarrow E'$ over R iff $q(E)^{z_1} = q(E')^{z_0}$	186
Bibliography	188